

Deuel County Auditor

PO Box 616 – 408 4th St West – Deuel County Courthouse – Clear Lake, SD

REGULAR MEETING OF THE DEUEL COUNTY COMMISSION

Tuesday, April 21st – 9:00 AM

DUE TO CONTROLLING THE SPREAD OF COVID-19 THE SPECIAL MEETING WILL BE LIMITING WALK IN PUBLIC – PLEASE CALL THE AUDITOR'S OFFICE 605-874-2312 TO SEE HOW YOU CAN ATTEND OR VIEW THE MEETING. THANK YOU FOR YOUR UNDERSTANDING

CALL TO ORDER

APPROVAL OF AGENDA

UNFINISHED BUSINESS: Courthouse Basement
Courthouse Windows – additional bids
Courthouse Lighting amount approval

APPOINTMENTS:

- 9:00 Highway Superintendent Jamie Hintz – Gravel Bids; Wind Power; Highway Superintendent Position; Personnel Matters
- 9:30 Emergency Management Sheila Monnier – Updates
- 9:45 Director of Equalization Donna Rhody – Review
- 10:15 Drainage Application for MoDak Dairy, Inc. to drain onto SE1/4NW1/4 of 30-117-50
Drainage Application for Rodney Spartz to drain onto SE1/4NW1/4 of 30-117-50
- 10:45 Drainage Application for Roger Kreutner/Larry Farmer to drain onto SE1/4 of 24-117-48
And to drain onto NW1/4NE1/4 of 19-117-47
Drainage Application for Roger Kreutner/Russ Schoenfeld to drain onto NE1/4 33-117-48
- 11:30 State's Attorney John Knight – Invenergy for Deuel Harvest Wind Application for Occupancy Right of Way
Executive Session Pursuant to SDCL 1-25-2(3) for the Purpose of Consulting with Legal Counsel

NEW BUSINESS:

- * SDDOT Weed Contract
- * Approve Warrants Paid Early: Byron Nogelmeier 35.00 24/7 Program, B-D Rural Water 109.00 Utilities, Century Link 358.79 Utilities, USPS 2000.00 Postage, Sanford 349.77 Flex Fees, Dept of Rev 349.06 Excise Tax and 100,888.69 Fees Due to State, SDACO 396.00 M&P. Taxes: Schools 423,532.40, Towns 48,947.96, Townships 101,988.39, EDWDD 1460.25, Rural Fire 6776.93

Public Comments

MOTION TO ADJOURN: _____

DATES TO REMEMBER: Regular meetings in May 5 and May 19

Deuel County does not discriminate against the disabled. If you plan to attend, please let us know in advance if special accommodations are needed we will, if possible, provide that for you.